


# Turmdrehkran

Tower Crane / Grue à tour / Gru a torre / Grúa torre  
Guindaste de torre / Башенный поворотный кран


## 32 TT

30 - 57 mt



EN 14439:2009-C25

# LIEBHERR



## Gewicht



Weight / Poids / Peso / Peso / Pesos / Macca

|                   |                   |            |           |  |              |
|-------------------|-------------------|------------|-----------|--|--------------|
|                   | 1 x A = 3000 kg   | 22250 kg   | r = 2,5 m |  | ca. 12200 kg |
|                   | 11 x B = 19250 kg |            |           |  |              |
| 1 x A = 3000 kg   | 20500 kg          | r = 2,75 m |           |  |              |
| 10 x B = 17500 kg |                   |            |           |  |              |

\* siehe Betriebsanleitung. / see instruction manual. / voir manuel de service. / vedi manuale d'istruzione. / ver manual de instrucción. / ver manual de instruções. / см. инструкцию по эксплуатации.


# Ausladung und Tragfähigkeit





Radius and capacity / Portée et charge / Sbraccio e portata  
 Alcances y cargas / Alcance e capacidade de carga / Вылет и грузоподъемность












## Auslegersteilstellung 20°

Elevated jib 20°  
 Flèche inclinée 20°  
 Braccio inclinato a 20°  
 Pluma inclinada 20°  
 Lança inclinada 20°  
 Положение стрелы под углом 20°













|   |   |              |
|---|---|--------------|
|  | U/min.<br>0 ↔ 0,8<br>sl./min<br>tr./min | 2,2 kW EDC   |
|  | 20,0 / 40,0 m/min                       | 2,6 / 3,5 kW |
|  | 10,0 m/min                              | 2,6 kW       |
|  | 4,0 m/min                               | 5,0 kW       |


|                  | Stufe / Step / Cran / Marcia / Velocidad<br>Velocidade / Передача |       |
|--|---|-------|
|  | kg  | m/min |
| 11,0 kW KL<br>   | 1   | 2500  |
|  | 2   | 2500  |
|  | 3   | 1300  |
| 11,0 kW FU<br>   | 1   | 2000  |
|  | 2   | 2000  |
|  | 3   | 1300  |
| 11,0 kW FU<br>   | 1   | 2500  |
|  | 2   | 2500  |
|  | 3   | 1300  |
| 11,0 kW FU<br>   | 1   | 2000  |
|  | 2   | 2000  |
|  | 3   | 1300  |
| 11,0 kW FU<br>   | 1   | 4000  |
|  | 2   | 4000  |
|  | 3   | 2600  |
| 11,0 kW FU<br>  | 1   | 2000  |
|  | 2   | 2000  |
|  | 3   | 1300  |
| 11,0 kW FU<br> | 1   | 4000  |
|  | 2   | 4000  |
|  | 3   | 2600  |
| 11,0 kW FU<br> | 1   | 1000  |
|  | 2   | 1000  |
|  | 3   | 1000  |

|        | 400 V                    | Hz | kVA     |
|--------|--------------------------|----|---------|
| 50,0 m | 4 x 6 mm <sup>2</sup> KL | 50 | 22,0 KL |
| 77,0 m | 4 x 6 mm <sup>2</sup> FU |    | 20,0 FU |

## Kolli-Liste

Packing List / Liste de colisage / Lista dei colli  
Lista de contenido / Lista de embalagem / Упаковочный лист

| Pos.<br>Item<br>Rep<br>Voce<br>Pos.<br>Ref.<br>Pos. | Anz.<br>Qty.<br>Qte.<br>Qta.<br>Cant.<br>Cant.<br>Кол-во |  | L (m)   | B (m)  | H (m) | kg   |      |      |
|---|--|--|---|--|-------|------|------|------|
| 1   | 1  | <b>Transportachse vorne Tra 100 KY 2</b> / Road transport axle front / Essieux de transport avant / Asse di trasporto anteriore / Eje delantero para transporte / Eixo de transporte dianteiro / Транспортировочная ось, передняя  |  |  | 4,10  | 1,42 | 1,10 | 750  |
| 2   | 1  | <b>Transportachse hinten Tra 120 GY 1A</b> / Road transport axle behind / Essieux de transport arrière / Asse di trasporto posteriore / Eje trasero para transporte / Eixo de transporte traseiro / Транспортировочная ось, задняя |  |  | 1,70  | 2,50 | 1,10 | 1100 |
| 3   | 1  | <b>Transportachse vorne Tra 115</b> / Road transport axle front / Essieux de transport avant / Asse di trasporto anteriore / Eje delantero para transporte / Eixo de transporte dianteiro / Транспортировочная ось, передняя       |  |  | 4,10  | 2,50 | 1,32 | 1900 |
| 4   | 1  | <b>Transportachse hinten Tra 117 GY 1A</b> / Road transport axle behind / Essieux de transport arrière / Asse di trasporto posteriore / Eje trasero para transporte / Eixo de transporte traseiro / Транспортировочная ось, задняя |  |  | 1,80  | 2,50 | 1,10 | 1500 |
| 5   | 1  | <b>Transportachse hinten Tra 203</b> / Road transport axle behind / Essieux de transport arrière / Asse di trasporto posteriore / Eje trasero para transporte / Eixo de transporte traseiro / Транспортировочная ось, задняя       |  |  | 3,0   | 2,50 | 1,05 | 2500 |



**Konstruktionsänderungen vorbehalten!** / Subject to alterations! / Sous réserves de modifications! / Riservato il diritto di modifiche strutturali!  
¡Sujeto a modificaciones! / Salvo modificação da construçao! / Права на внесение конструкторских изменений сохраняются!

**Sämtliche Angaben erfolgen ohne Gewähr.** / This information is supplied without liability. / Ces renseignements sont sans garantie. / Tutte le indicazioni fornite senza garanzia. / Declinamos toda responsabilidad derivada de la información proporcionada. / Declinamos qualquer responsabilidade quanto à informação fornecida. / Все данные указаны без обязательств.

**120 P – 5805 • EN 14439:2009 – DIN 15018-H1/B3 • BGL C.0.08.0031 • 01.10 / 7**

Printed in Germany.